

EAST Search History

10/783,124

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(memory near2 (partition or region) with identif\$4 with (pointer or link or edge) with nodes with object) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:44
L3	1	(identif\$4 with (memory near2 (partition or region)) with object) and ((pointer or link or edge) with nodes) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:46
L4	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L5	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L6	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L7	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L8	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L9	96	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L10	10	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L11	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L12	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L13	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L14	234	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L15	45	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L16	42	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L17	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L18	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L19	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L20	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L21	59	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L22	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L23	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L24	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L25	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L26	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L27	7	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L28	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L29	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L30	543	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L31	333	((creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L32	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L33	311	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L34	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L35	83	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L36	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L37	4	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L38	4	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L39	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L40	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L41	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L42	20	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L43	4111	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L44	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L45	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L46	23	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L47	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L48	3	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L49	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L50	3	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L51	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L52	243008	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L53	29	(query or search) and ((terms or key\$word\$1) with re\$1build)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L54	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L55	124	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L56	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L57	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L58	43	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L59	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L60	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L61	25	((query or search) with (two adj (terms or keyword\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L62	3	((query or search) with (two adj (terms or keyword\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L63	0	((query or search) with (two adj (terms or keyword\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L64	2	((query or search) with (two adj (terms or keyword\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L65	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L66	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L67	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L68	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L69	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L70	0	(memory with shape with graph with relations) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L71	1357	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L72	59	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L73	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L74	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L75	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L76	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L77	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L78	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L79	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L80	86	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16

EAST Search History

L81	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L82	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L83	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L84	147	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L85	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L86	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L87	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 12:16
L88	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/01/21 12:16
S1	2	"20050065973"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 14:16
S2	2	(memory adj management) with (memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 08:45

EAST Search History

S4	6	(memory near2 partition\$4) and (object\$1oriented adj program) and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:14
S5	0	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and (memory adj shape)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:14
S6	1	(memory near2 partition\$4) and (object\$1oriented adj program) and relation and shape	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/16 09:15
S7	93	(memory with (partition or region) with (garbage near2 collect\$4)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/17 17:24
S8	9	(memory with (partition or region) with (garbage near2 collect\$4) with (pointer or link)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:43
S9	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:55
S10	6	("6249793" or "6865657" or "4989132").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:46
S13	2	(memory with (partition or region) with (garbage near2 collect\$4) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:57
S14	227	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:57
S15	40	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 18:58

EAST Search History

S16	37	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and node and objects and oriented and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:01
S17	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node) and (objects with oriented with program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:01
S18	58	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:07
S19	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:02
S20	24	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:03
S21	0	(memory with (partition or region) with (hierarch\$5 or tree)) and @ad < "20040219" and (memory adj nodes) and (garbage adj collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:03
S22	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:47
S23	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:48
S24	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:50
S25	0	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region and relation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/18 19:50

EAST Search History

S26	2	("6249793" or "6865657" or "4989132").pn. and block and creat\$4 and link\$3 and memory and region	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:36
S27	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:37
S28	0	(creat\$3 with (shape near2 graph)) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:38
S29	2	(creat\$3 with (shape near2 graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S30	515	(creat\$3 with (graph)) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S31	319	(creat\$3 near2 graph) and ((garbage adj collection) or (object adj oriented adj program\$5)) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:48
S32	297	(creat\$3 near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:53
S33	1	((creat\$3 near2 graph) with shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:49
S34	0	(creat\$3 near2 shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:54
S35	82	(creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:38

EAST Search History

S36	4	((creat\$3 near2 shape) with memory) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 08:58
S37	3	(shape adj graph) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/21 11:42
S38	3	(shape adj diagram) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 09:03
S39	1	(shape adj diagram) and (memory with management) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/19 09:04
S40	0	703/103.00R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:41
S41	0	703/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S42	20	703/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S43	3952	707/103 Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S44	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:40
S45	0	707/10300Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:42

EAST Search History

S46	21	(memory near2 partition\$4) and (object\$1oriented adj program)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:41
S47	0	707/103.00Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:43
S48	3	707/103\$.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S49	0	707/103Y.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S50	3	707/103R.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S51	0	707/206.ccls. and (creat\$3 near2 shape) and (object adj oriented adj program\$5) and @ad < "20040219"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/22 20:44
S52	224505	(query or search) and (terms or key\$word\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:32
S53	28	(query or search) and ((terms or key\$word\$1) with re\$1build)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:38
S54	0	(query or search) with ((terms or key\$word\$1) with re\$1build) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:38
S55	109	(query or search) with ((terms or key\$word\$1) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:45

EAST Search History

S56	0	((query or search) with (two near1 (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:46
S57	0	((query or search) with (two adj (terms or key\$word\$1)) with (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:46
S58	42	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) and synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:03
S59	0	((query or search) with (two adj (terms or key\$word\$1)) and (refin\$4 or re\$1build)) with synonym\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S60	0	((query or search) with (two adj (terms or key\$word\$1) with synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S61	24	((query or search) with (two adj (terms or key\$word\$1) and synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:54
S62	3	((query or search) with (two adj (terms or key\$word\$1) same synonym\$3) and (refin\$4 or re\$1build))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 09:55
S63	0	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) with synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:04
S64	2	((query or search) with (two adj (terms or key\$word\$1))) and ((refin\$4 or re\$1build) same synonym\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:38
S65	2	"6676412".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/08/23 10:38

EAST Search History

S66	6	(shape near2 graph) and (object adj oriented adj program\$5) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S67	0	(shape near2 graph near2 memory) and (relation near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S68	0	(shape near2 graph near2 memory) and (relation with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S69	0	(memory adj shape adj graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:54
S70	0	(memory with shape with graph with relations) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S71	1356	(shape near2 graph) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:55
S72	204	(shape with graph with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:56
S73	1	(shape with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:57
S74	59	(graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:57
S75	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:58

EAST Search History

S76	0	(nodes with edges with graph with memory) and (relations near2 regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:58
S77	1	(nodes with edges with graph with memory) and (relations with regions) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 15:59
S78	0	"relaions between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:00
S79	86	"relations between regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:06
S80	0	"relations between the regions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:00
S81	3	("relations between regions" with memory) and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:02
S82	0	("relations between regions") and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:03
S83	5	(relations with regions) and "shape graph" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:03
S84	147	"relations between regions" or "relations between partitions" and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:06
S85	40	("relations between regions" or "relations between partitions") and memory and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:07

EAST Search History

S86	7	("relations between regions" or "relations between partitions") and memory and graph and shape and @ad < "20030923"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 16:07
S87	7	("6092090" or "6119117" or "6161107").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/15 18:29
S88	3	("6092090" or "6119117" or "6161107").pn.	USPAT	OR	ON	2007/01/15 18:29